


### 2023 年 AMC8 解析

1. What is the value of  $(8 \times 4 + 2) - (8 + 4 \times 2)$ ?

- (A) 0    (B) 6    (C) 10    **(D) 18**    (E) 24

2. A square piece of paper is folded twice into four equal quarters, as shown below, then cut along the dashed line. When unfolded, the paper will match which of the following figures?



3. *Wind chill* is a measure of how cold people feel when exposed to wind outside. A good estimate for wind chill can be found using this calculation:

$$(\text{wind chill}) = (\text{air temperature}) - 0.7 \times (\text{wind speed}),$$

where temperature is measured in degrees Fahrenheit ( $^{\circ}\text{F}$ ) and wind speed is measured in miles per hour (mph). Suppose the air temperature is  $36^{\circ}\text{F}$  and the wind speed is 18 mph. Which of the following is closest to

the approximate wind chill?

- (A)18    **(B)23**    (C)28    (D)32    (E)35

$$36 - 0.7 \times 18 = 23.4$$

4. The numbers from 1 to 49 are arranged in a spiral pattern on a square grid, beginning at the center. The first few numbers have been entered into the grid below. Consider the four numbers that will appear in the shaded squares, on the same diagonal as the number 7. How many of these four numbers are prime?

39		5	4	3		
	19	6	1	2		
		7				
			23			
				47		

- (A)0    (B)1    (C)2    **(D)3**    (E)4

5. A lake contains 250 trout, along with a variety of other fish. When a marine biologist catches and releases a sample of 180 fish from the lake, 30 are identified as trout. Assume that the ratio of trout to the total number of fish is the same in both the sample and the lake. How many fish are there in the lake?

- (A)1250    **(B)1500**    (C)1750    (D) 1800    (E)2000


$$\frac{250}{\frac{1}{6}} = 1500$$

6. The digits 2,0,2, and 3 are placed in the expression below, one digit per box. What is the maximum possible value of the expression?

$$\boxed{3}^{\boxed{2}} \times \boxed{2}^{\boxed{0}}$$

- (A)0    (B)8    **(C)9**    (D)16    (E)18

7. A rectangle, with sides parallel to the  $x$ -axis and  $y$ -axis, has opposite vertices located at  $(15,3)$  and  $(16,5)$ . A line is drawn through points  $A(0,0)$  and  $B(3,1)$ . Another line is drawn through points  $C(0,10)$  and  $D(2,9)$ . How many points on the rectangle lie on at least one of the two lines?




- (A)0    **(B)1**    (C)2    (D)3    (E)4

8. Lola, Lolo, Tiya, and Tiyo participated in a ping pong tournament. Each player competed against each of the other three players exactly twice. Shown below are the win-loss records for the players. The numbers 1 and 0 represent a win or loss, respectively. For example, Lola won five matches and lost the fourth match. What was Tiyo's win-loss record?

Player	Result
Lola	111011
Lolo	101010
Tiya	010100
Tiyo	000101

- (A)000101    (B)001001    (C)010000    (D)010101    (E)011000

9. Malaika is skiing on a mountain. The graph below shows her elevation, in meters, above the base of the mountain as she skis along a trail. In total, how many seconds does she spend at an elevation between 4 and 7 meters?



(A)6 (B)8 (C)10 (D)12 (E) 14

$$9. \text{ 共兩段: } (10-4) + (14-12) = 6+2=8$$

10. Harold made a plum pie to take on a picnic. He was able to eat only  $\frac{1}{4}$  of the pie, and he left the rest for his friends. A moose came by and ate  $\frac{1}{3}$  of what Harold left behind. After that, a porcupine ate  $\frac{1}{3}$  of what the moose left behind. How much of the original pie still remained after the porcupine left?

(A)  $\frac{1}{12}$  (B)  $\frac{1}{6}$  (C)  $\frac{1}{4}$  (D)  $\frac{1}{3}$  (E)  $\frac{5}{12}$

$$10 \quad \frac{3}{4} \times \frac{2}{3} \times \frac{2}{3} = \frac{1}{3}$$

11. NASA's Perseverance Rover was launched on July 30, 2020. After traveling 292,526,838 miles, it landed on Mars in Jezero Crater about 6.5 months later. Which of the following is closest to the Rover's average interplanetary speed in miles per hour?


(A)6,000 (B) 12,000 (C)60,000 (D) 120,000 (E) 600,000

$$11. \quad v = \frac{292,526,838}{6.5 \times 30 \times 24}$$

$$24 \times 6.5 = 24 \times \frac{13}{2} = 12 \times 13$$

$$\begin{aligned} \frac{12}{13} &= \frac{10,000,000}{160} \\ \frac{36}{156} &= \frac{1,000,000}{16} \\ &= \underline{60,000} \end{aligned}$$

12. The figure below shows a large white circle with a number of smaller white and shaded circles in its interior. What fraction of the interior of the large white circle is shaded?



(A)  $\frac{1}{4}$  (B)  $\frac{11}{36}$  (C)  $\frac{1}{3}$  (D)  $\frac{19}{36}$  (E)  $\frac{5}{9}$

12.  $\frac{\frac{1}{4} \times 3 + 4 - 2 \times 1}{9} = \frac{11}{36}$

13. Along the route of a bicycle race, 7 water stations are evenly spaced between the start and finish lines, as shown in the figure below. There are also 2 repair stations evenly spaced between the start and finish lines. The 3rd water station is located 2 miles after the 1st repair station. How long is the race in miles?



- (A) 8 (B) 16 (C) 24 (D) 48 (E) 96

13. 设总长为  $S$

$$\frac{3}{8}S - \frac{1}{3}S = 2 \Rightarrow S = 48$$

14. Nicolas is planning to send a package to his friend Anton, who is a stamp collector. To pay for the postage, Nicolas would like to cover the package with a large number of stamps. Suppose he has a collection of 5-cent, 10-cent, and 25-cent stamps, with exactly 20 of each type. What is the greatest number of stamps Nicolas can use to make exactly \$7.10 in postage?

(Note: The amount \$7.10 corresponds to 7 dollars and 10 cents. One dollar is worth 100 cents.)

- (A)45    (B)46    (C)51    (D)54    **(E)55**

14. 設 5-Cent 為  $a$ , 10-Cent 為  $b$ , 25-Cent 為  $c$

$$\begin{cases} 5a + 10b + 25c = 710 \\ a, b, c \leq 20 \end{cases}$$


→  $a + 2b + 5c = 142$ , 要求  $a+b+c$  最大  
 讓  $a$  不可能大, 則  $a = 20, 19, 18$ .

$a=20$  時  $2b+5c=122$  時  $b=16, c=18$   
 $a+b+c = 20+16+18 = 54$

$a=19$  時,  $2b+5c=123$   
 $b=19, c=17$   
 $a+b+c = 19+19+17 = 55$

因為最大答案为 55, 不必再試了

15. Viswam walks half a mile to get to school each day. His route consists of 10 city blocks of equal length and he takes one minute to walk each block. Today, after walking 5 blocks, Viswam discovers that he has to make a detour, walking 3 blocks of equal length instead of 1 block to reach the next corner. From the time he starts his detour, at what speed, in miles per hour, must Viswam walk in order to arrive at school at his usual time?



- (A)4 (B)4.2 (C)4.5 (D)4.8 (E)5

15. 每个 block 的长度为  $\frac{0.5 \text{ mile}}{10} = 0.05$

$$v = \frac{0.05 \times 7 \text{ mile}}{\frac{1}{12} \text{ h}} = 4.2 \text{ mile/h}$$

16. The letters P, Q, and R are entered into a  $20 \times 20$  table according to the pattern shown below. How many Ps, Qs, and Rs will appear in the completed table?

⋮	⋮	⋮	⋮	⋮	⋮
Q	R	P	Q	R	...
P	Q	R	P	Q	...
R	P	Q	R	P	...
Q	R	P	Q	R	...
P	Q	R	P	Q	...

- (A)132Ps,134 Qs,134 Rs  
 (B)133 Ps,133 Qs,134 Rs  
**(C)133 Ps,134 Qs,133 Rs**  
 (D)134Ps,132 Qs,134 Rs  
 (E)134 Ps,133 Qs,133 Rs


16. 排列法

唯一不同的地方  
大家相同的


在前 18 列是 P, Q, R 的个数相等的, 因为 18 是 3 的倍数

17P, 14R, 24Q.  
所以最终答案: P与R相等, Q多1, 只有C符合

17. A regular octahedron has eight equilateral triangle faces with four faces meeting at each vertex. Jun will make the regular octahedron shown on the right by folding the piece of paper shown on the left. Which numbered face will end up to the right of Q?



- (A)1 (B)2 (C)3 (D)4 (E)5



如以  $VAB$  为面  $Q$   
 则  $VBC$  为 1  
 $VCD$  为 3  
 $VAD$  为 2  
 $BCV'$  为 7  
 $CDV'$  为 4

$ADV'$  为 5  
 $ABV'$  为 6

18. Greta Grasshopper sits on a long line of lily pads in a pond. From any lily pad, Greta can jump 5 pads to the right or 3 pads to the left. What is

the fewest number of jumps Greta must make to reach the lily pad located 2023 pads to the right of her starting position?

- (A)405 (B)407 (C)409 (D)411 (E)413

18. 设5的共走 $a$ 步, 3的共净走 $b$ 步,

$$\text{则 } 5a - 3b = 2023$$

$$\text{则 } a = \frac{2023 + 3b}{5} = 404 + 3 \cdot \frac{b+1}{5}$$

$$a + b = 404 + \frac{8b+3}{5}$$


$b=4$ 时,  $a+b$ 最小为 411, 选 D

19. An equilateral triangle is placed inside a larger equilateral triangle so that the region between them can be divided into three congruent trapezoids, as shown below. The side length of the inner triangle is  $\frac{2}{3}$  the side length of the larger triangle. What is the ratio of the area of one trapezoid to the area of the inner triangle?



- (A)1:3 (B)3:8 (C)5:12 (D)7:16 (E)4:9

19.



设小正 $\Delta$ 边长为2, 大正 $\Delta$ 的边长为3

$$\begin{aligned} \text{Ratio} &= \frac{\frac{1}{3} \cdot \left[ \frac{\sqrt{3}}{4} \cdot 3^2 - \frac{\sqrt{3}}{4} \cdot 2^2 \right]}{\frac{\sqrt{3}}{4} \cdot 2^2} \\ &= \frac{1}{3} \times \frac{9-4}{4} \\ &= \frac{5}{12} \end{aligned}$$

20. Two integers are inserted into the list 3, 3, 8, 11, 28 to double its range. The mode and median remain unchanged. What is the maximum possible sum of the two additional numbers?

- (A) 56    (B) 57    (C) 58    **(D) 60**    (E) 61

20. 第1种情况:  $a, 3, 3, 8, 11, 28, b$

这时  $\begin{cases} b - a = 50 \\ a \leq 3 \\ b > 28 \end{cases}$

这时  $a + b = 2a + 50 \leq 2 \cdot 3 + 50 = 56$

第2种情况:  $3, 3, a, 8, 11, 28, b$

这时  $\begin{cases} b - 3 = 50 \Rightarrow b = 53 \\ 3 \leq a < 8 \\ b > 28 \end{cases}$

$a + b = a + 53 \leq 7 + 53 = 60$

其他条件不满足, 不作讨论.

综上  $a + b$  的最大值为 60.

21. Alina writes the numbers 1, 2, ..., 9 on separate cards, one number per card. She wishes to divide the cards into 3 groups of 3 cards so that the sum of the numbers in each group will be the same. In how many ways can this be done?

- (A) 0    (B) 1    **(C) 2**    (D) 3    (E) 4

21.  $1 + 2 + \dots + 9 = \frac{9 \times 10}{2} = 45$

每组的和为  $\frac{45}{3} = 15$ .

因为 9 若排除, 我们以 9 作为分类讨论的标准: 分别为

I: 9 5 1

II: 9 4 2

然后我们看这 15 集中 8 如何排

第 I 类: 9 5 1

第 II 类: 9 4 2

所以只有两类.

22. In a sequence of positive integers, each term after the second is the product of the previous two terms. The sixth term in the sequence is

4000. What is the first term?

- (A)1 (B)2 (C)4 (D)5 (E)10

22. 设这6个数为  $a, b, ab, ab^2, a^2b^3, a^3b^5$


$$a^3b^5 = 4000 = 2^5 \cdot 5^3$$

$$\rightarrow \begin{cases} a=5 \\ b=2 \end{cases}$$

23. Each square in a  $3 \times 3$  grid is randomly filled with one of the 4 gray-and-white tiles shown below on the right.



What is the probability that the tiling will contain a large gray diamond in one of the smaller  $2 \times 2$  grids? Below is an example of such a tiling.



- (A)  $\frac{1}{1024}$  (B)  $\frac{1}{256}$  (C)  $\frac{1}{64}$  (D)  $\frac{1}{16}$  (E)  $\frac{1}{4}$


23. 形成一个大 gray diamond 的概率为  $(\frac{1}{4})^4 = \frac{1}{4^4}$

共有4种情况可以形成 gray diamond

$$\text{所以 } (\frac{1}{4})^4 \cdot 4 = \frac{1}{4^3} = \frac{1}{64}$$


24. Isosceles triangle  $ABC$  has equal side lengths  $AB$  and  $BC$ . In the

figures below, segments are drawn parallel to  $\overline{AC}$  so that the shaded portions of  $\triangle ABC$  have the same area. The heights of the two unshaded portions are 11 and 5 units, respectively. What is the height  $h$  of  $\triangle ABC$ ?



- (A) 14.6    (B) 14.8    (C) 15    (D) 15.2    (E) 15.4

24.



$$S_{\text{shaded 1}} = S - \left(\frac{11}{h}\right)^2 \cdot S$$

$$S_{\text{shaded 2}} = S \cdot \left(\frac{h-5}{h}\right)^2$$

$$\therefore S - \left(\frac{11}{h}\right)^2 \cdot S = S \cdot \left(1 - \frac{5}{h}\right)^2$$

$$\frac{146}{h^2} - \frac{10}{h} = 0$$

$$\therefore h = 14.6$$

25. Fifteen integers  $a_1, a_2, a_3, \dots, a_{15}$  are arranged in order on a number line. The integers are equally spaced and have the property that

$$1 \leq a_1 \leq 10, \quad 13 \leq a_2 \leq 20, \quad \text{and} \quad 241 \leq a_{15} \leq 250.$$

What is the sum of the digits of  $a_{14}$ ?

- (A) 8    (B) 9    (C) 10    (D) 11    (E) 12

25.  $\{a_n\}$  形成一等差數列 AS, 設公差為  $d$

$$1 \leq a_1 \leq 10, \quad 13 \leq a_2 \leq 20, \quad 241 \leq a_{15} \leq 250$$

$$\rightarrow 1 \leq a_1 \leq 10, \quad 13 \leq a_1 + d \leq 20 \quad \text{①}$$

$$240 \leq (a_1 + d) + 13d \leq 250 \quad \text{②}$$

$$-20 \leq -(a_1 + d) \leq -13 \quad \text{③}$$

$$\text{①} + \text{③} \text{ 得: } 220 \leq 13d \leq 237$$

$$\rightarrow 17 \leq d \leq 18$$

$$\rightarrow d = 17 \text{ or } 18$$

I:  $d = 17$  時, 代入 ① 得:  $-4 \leq a_1 \leq 3$   
 又:  $1 \leq a_1 \leq 10$ , 所以  $1 \leq a_1 \leq 3$   
 $a_1 = 1, 2, \text{ or } 3$   
 由 ② 式得:  $3 \leq a_1 \leq 12$   
 所以  $a_1 = 3$ .  
 即  $a_1 = 3, d = 17$  得  $a_{14} = 224$

II:  $d = 18$  時,  $1 \leq a_1 + 18 \leq 20 \Rightarrow a_1 \leq 2$   
 $\therefore a_1 = 1 \text{ or } 2$ . 但此時:  $a_{15} = 253 \text{ or } 254$   
 不合, 舍掉.  
 所以  $a_{14} = 224$ , 數字之和為 8